





Stainless Steel Vertical Multistage Pump — 60Hz — SVM(T)200


Performance Curves



Model Description SVM(T)200



SVM/SMVT




Size and weight


Model	Size (mm)					Weight (kg)
	B1	B2	B1+B2	D1	D2	
SVM200-10-B	907	660	1567	400	310	403
SVM200-10-A	907	660	1567	400	310	426
SVM200-10	907	700	1607	450	345	484
SVM200-20-2B	1131	770	1901	540	370	595
SVM200-20-2A	1131	845	1976	580	410	718
SVM200-20-B	1131	845	1976	580	410	718
SVM200-20-A	1131	895	2026	580	410	787
SVM200-20	1131	895	2026	580	410	787
SVM200-30-2B	1325	1140	2465	645	550	1158
SVM200-30-A-B	1325	1140	2465	645	550	1158
SVM200-30-2A	1325	1140	2465	645	550	1158

Stainless Steel Vertical Multistage Pump — 60Hz — SVM(T)200

Structure chart:SVM(T)120/150/200 Material:SVM(T)120/150/200



SVM



No	Description	Material	AISI/ASTM
1	Motor	Assembling unit	
2	Frame	Cast Iron/Ductile iron	ASTM25B ASTM70-50-05
4	Seal	Assembling unit	
7	Support guide vane	Stainless Steel	AISI304
8	Coupling	Ductile iron	ASTM7-50-05
9	Impeller	Stainless Steel	AISI304
10	Shell	Stainless Steel	AISI304
11	Pump Shaft	Stainless Steel	AISI304 AISI316L AISI431
12	Bearing	Tungsten Carbide	
13	Inlet guide vane	Stainless Steel	AISI304
SVM			
3	seal seat	Stainless Steel	AISI304
14	Inlet & outlet seat	Stainless Steel	AISI304
15	Seat	Ductile iron	ASTM70-50-05
SVMT			
3	seal seat	Ductile iron	ASTM70-50-05
14	Inlet & outlet seat	Cast Iron/Ductile iron	ASTM25B ASTM7-50-05